


# ILLUSTRATED PARTS

AMERICAN  AMERICAN  
M A D E O W N E D  
OUTDOOR POWER EQUIPMENT




## 1994

## SELF-PROPELLED MOWERS

Model Number	Pages
124-232A000 thru 124-238H000 .....	2-5
124-265D000 .....	6-8
124-280B000 thru 124-281C000 .....	9-11

# Models 232 thru 238

Optional Grass Catcher Available  
Model 190-110-000



# Models 232 thru 238

## PARTS LIST FOR MODELS 232 THRU 238 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824	N	Control Handle Ass'y. (Std.)	49	14832	N	Spring Lever Ass'y. w/Knob
2	720-0225		Foam Grip (2 Req'd.) (Optional)	50	15262B		Pivot Bar
3	746-0876		Throttle Lever	51	15261A		Height Adj. Plate
4	710-0605		Oval C-Sunk Scr.	52	**		Wheel Ass'y. Comp.
5	712-0324		Hex L-Nut 1/4-20 Thd.	53	14578		Height Adj. Ass'y. Comp.—R.H.
6	736-0501		Spr. Wash. .66" I.D.		14579		Height Adj. Ass'y. Comp.—L.H.
7	646-0875		Throttle Body	54	738-0102		Shld. Bolt .498" Dia. x 1.45"
8	811-00185		Throttle Box Comp. (Incl. Ref. 3, 4, 5, 6, 7)	55	736-0504		Wave Wash. .51" I.D. x .78"
9	747-0854		S.P. Bail Ass'y.	58	736-0300		Fl-Wash. .385" I.D. x .87"
10	16309A		Cable Bracket	59	712-0296		Hex Patch L-Nut 3/8-24 Thd.
11	746-0843		Throttle Cable 55" Lg. (B&S)	60	**		Hub Cap
	746-0847		Throttle Cable 42" Lg. (Tec.)	62	731-1483		Rear Flap
12	710-0726		Hex Wash. AB-Tap Scr. 5/16 x .75" Lg.	63	16137B		L.H. Handle Wheel Brkt. Ass'y.
13	756-0554		Keyed Pulley (232)	64	16136B		R.H. Handle Wheel Brkt. Ass'y.
14	710-1174		Curved Hd. Bolt 5/16-18 x 2"	65	713-0353		#48 Chain .5" Pitch x 30 Links
15	746-0550		Control Cable 39" Lg. (B&S)	67	720-0279	N	Handle Knob 1/4-20 Thd.
	746-0737		Control Cable 51" Lg. (Tec.)	68	731-1386A		Mulching Baffle (Optional)††
16	736-0119		L-Wash. 5/16" I.D.*	70	720-0223		Grip
17	710-1205		Rope Guide	71	732-0606		Height Adj. Lever
18	749-0538C		Upper Handle (Dual Bail)	72	732-0481		Ext. Spring .5" O.D. x 3.8" Lg.
19	720-0276		Hand Knob	73	736-0242		Bell-Wash. 5/16" I.D.
20	726-0240		Cable Tie	74	750-0736		Spacer .383" I.D. x .503"
21	736-0105		Bell-Wash. .38" I.D. x .88"	75	750-0624		Shld. Spacer .5" Dia.
22	712-0798		Hex Nut 3/8-16 Thd.*	80	738-0137		Shld. Scr. .342" Dia. x .268"
23	712-0241		Hex Nut 3/8-24 Thd.*	81	748-0188B		Pawl
24	710-0751		Hex Bolt 1/4-20 x .62" Lg. (Grade 5)	82	**		Wheel Ass'y. Comp.
25	736-0270		Bell-Wash. 1/4" I.D.	84	**		Bearing
26	736-0160		Fl-Wash. .531" I.D. x .93"	85	736-0513		Spr. Wash. .89" I.D. (Keyed)
27	749-0928		Lower Handle	86	736-0514		Fl-Wash. .885" I.D. (Keyed)
28	748-0190		Spacer .513" I.D. x .703"	87	751B281191		XTE Engine Shroud (Black—Optional)
29	747-0710		Hinge Pin		751B281295		XTE Engine Shroud (Red—Optional)
30	753-0484		Blade Adapter Kit (Keyed)		731-1396		Engine Shroud (Black—Optional)
	753-0485		Blade Adapter Kit (Splined)	88	710-1256		Hi-Lo Scr. #8-18 x 1.25" Lg.
31	736-0452		Bell-Wash. .39" I.D. (Keyed)	89	749-0539B		Upper Handle (Single Bail)
	736-0453		Bell-Wash. .46" I.D. (Splined)	90	736-0169		L-Wash. 3/8" I.D.*
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg. (Keyed)	91	710-1055		Hex Bolt 3/8-24 x 1.0" Lg.
	710-0757		Hex Bolt 7/16-20 x 1.5" Lg. (Splined)	92	756-0502		Splined Pulley Half (2 Req'd.)
33	742-0622	N	22" Blade	93	756-0962		Upper Pulley Half (Keyed)
	742-0722		Mulching Blade (Optional)††	94	736-0450		Bell-Wash. 1.01" I.D. (Used w/Splined Adapter)
34	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x 1.0" Lg.	95	748-0332		Crankshaft Spacer (Splined)
35	17032		Adapter Plate		748-0358		Crankshaft Spacer (Keyed)
36	732-0593		Torsion Spring	96	756-0961		Lower Pulley Half (Keyed)
37	710-0599		Hex Self-Tap Scr. 1/4-20 x .5"	97	754-0369		"V"-Belt
38	731-1034		Chute Deflector Ass'y.	98	714-0104		Hairpin Clip
39	710-0260		Carriage Bolt 5/16-18 x .62" Lg.	99	731-1057		Control Cover—Upper Half
40	—		Engine	100	746-0710A		S.P. Cable (Single Bail)
41	746-0594		Drive Cable—41.5" Lg. (Dual Bail)	101	735-0639		Spark Plug Boot
42	17055B		Chain—Axle Ass'y.	102	16855		Pawl Plate
43	710-0352		Hex B-Tap Scr. 1/4 x .38" Lg.	103	712-0414		Weld L-Nut 1/4-20 Thd.
44	710-0603		Hex Wash. Hd. B-Tap Scr. 5/16-18	104	714-0122		Sq. Key 3/16" x 3/4" Lg. (232)
45	710-0776A		Hex AB-Tap Scr. 1/4 x .62"	105	710-0497		Set Scr. #10-32 x .25" Lg. (232)
47	682-0001A		22" Deck Ass'y.	106	751B213146	N	Cable Clamp (B&S)
48	738-0507B		Shld. Bolt .5" Dia. x .357	107	710-1237		Hex Wash. Hd. Scr. #10-32 x .62" Lg. (B&S)
				108	731-0620		Control Lever
				109	731-1058		Control Cover—Lower Half
					741-0486B		Sleeve Brg. 1/2" I.D.

# Models 232 thru 238

## PARTS LIST FOR MODELS 232 THRU 238 ROTARY MOWERS (CONTINUED)

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
110	731-1059		Mounting Cap	136	10622B		Spring—Nylon
111	710-0841		Fl-"C"-Sunk Hd. Tap Scr. #10 x .75" Lg.	138	17053A		Chain Cover
122	711-0805		Shld. Pin 3/8-24 x 1.45" Lg.	147	738-0719A		Rear Shaft Ass'y. 21.94" Lg.
128	712-0711		Hex Jam Nut 3/8-24 Thd.	148	741-0324		Hex Flange Bearing
130	748-0318		Ratchet Wheel 1.62" C.D.	149	736-0160		Fl-Wash. .531" I.D. x .93"
131	714-0115		Cotter Pin 1/8" Dia.	153	717-0417B		Transmission Comp (See Breakdown)
134	741-0522		Hex Flange Bearing	154	16500A		Hex Bearing Cup

\*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

††Part of Optional Mulching Kit—Model 190-100-000.



### \*\*WHEEL CHART

Size	Tread Type	Front Wheels		Rear Wheels	
		Part No.	Bearings	Part No.	Bearings
8" x 1.75"	Bar Tread	634-0020	—	634-0020	—
8" x 2"	"S" Wave	734-1512A	—		
8" x 2"	"S" Wave	734-1513B	741-0484 Ball Brg.	734-1510B	741-0486B Sleeve Brg.

### \*\*Optional Hub Caps

Description	Part No.
Gray (3-1/2" Dia.)	720-0249
Gray (5-1/2" Dia.)	731-0981A

# Models 232 thru 238




**PARTS LIST FOR MODELS 232 THRU 238 ROTARY MOWERS**

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-0106		Hex Bolt 1/4-20 x 1.25" Lg.*	24	17052A		Idler Brk't. Ass'y.†
2	726-0329		L-Wash. 1/4" I.D.*	25	712-0138		Hex Patch L-Nut 1/4-28 Thd.†
3	717-0418A		Upper Hsg. Half	26	732-0357A		Extension Spring 1.12" Lg.†
4	713-0400		#48 Sprocket 7 Tooth x 1/2 Pitch	27	717-0419A		Lower Hsg. Half
5	736-0336		Fl-Wash. 5/8" I.D. x .030	28	741-0415		Flange Bearing .56 Dia.
6	741-0413		Hex Flange Brg. .631" I.D.	29	717-0422A		33 Tooth Helical Gear
7	16500A		Hex Bearing Cup	30	741-0414		Flange Bearing .629 Dia.
8	736-0314		Thrust Wash. .382" I.D. x .70" O.D.	31	721-0213		Oil Seal .625 Dia.
9	741-0479		Thrust Bearing .375" I.D. x .812" O.D.	32	738-0607A		Gear Sprocket Shaft
11	717-1216		11 Tooth Helical Gear	33	736-0722		L-Wash. #10 I.D.
12	748-0208A		Flange Bearing	34	710-0436		Hex B-Tap Scr. #10 x .62"
13	721-0212		Oil Seal	35	736-0410		Hex Washer .26" x .88"†
15	756-0330A		Fl-Pulley 5.06" I.D.†	36	17718		Transmission Belt Guard†
16	736-0270		Bell-Wash. .265" I.D. x .75"†	37	17064		Belt Cover
17	712-0351		Hex Nut 1/4-28 L.H. Thd.†	38	710-0352		Hex B-Tap Scr. 1/4 x .38" Lg.†
18	738-0440		Shld. Spacer .375" Dia. x .170"†	39	710-0599		Hex AB-Tap Scr. 1/4 x .50" Lg.†
19	736-0344		Fl-Wash. .390" I.D. x 1.0"†	40	710-0896		Hex B-Tap Scr. 1/4 x .62" Lg.
20	738-0826		Shld. Bolt .375" Dia. x .40"†	41	712-0287		Hex Nut 1/4-20 Thd.*†
21	656-0008	N	Fl-Idler Plastic 1.50" Dia. (Incl. Ref. 22)†	42	736-0270		Bell-Wash. .265" I.D. x .75"†
22	741-0556		Needle Brg. .375" x .375"†	43	736-0329		L-Wash. 1/4" I.D.*†
23	736-0270		Bell-Wash. .265" I.D. x .75"†	44	746-0710A		S.P. Cable—48" Lg.†
				45	747-0549		S.P. Belt Guard†
				—	717-0417B		Transmission Comp.

†Not Part of Transmission Complete

# Model 265

Optional Grass Catcher Available  
Model 190-110-000



# Model 265


## PARTS LIST FOR MODEL 265 ROTARY MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824	N	Control Handle	55	746-0737		Control Cable—51"
2	710-0602		Oval C-Sunk Mach. Scr.	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x 1.0" Lg.
3	736-0501		Spr. Wash. .66" I.D.	58	738-0102		Rear Axle Bolt
4	712-0324		Hex L-Nut 1/4-20 Thd.	60	734-1174A		Rear Wheel Ass'y. Comp.
5	720-0279		Handle Knob 1/4-20 Thd.	62	732-0417A		Spring Lever
6	646-0875		Throttle Body	63	720-0190		Spring Lever Knob
7	746-0876		Throttle Lever	64	736-0192		Fl-Wash. .531" I.D. x .93"
8	749-0824		Upper Handle	65	16532B		Link 5.3" Lg.
10	710-1205		Rope Guide	66	14765		Pivot Bar <del>Left</del> LH
12	720-0276		Hand Knob		14766		Pivot Bar <del>Right</del> (Not Shown) RH
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	67	710-0892		Hex AB-Tap 1/4-.62" Lg.
14	726-0240		Cable Tie	69	14764C		Index Plate LH
15	749-0928		Lower Handle	71	16106		Front Height Adj. Ass'y.— <del>Left</del>
16	714-0104		Hairpin Cotter		16107		Front Height Adj. Ass'y.— <del>Right</del> (Not Shown) RH
17	17098		Hinge Clip	72	811-00185		Throttle Box Comp. (Incl. Ref. 2, 3, 4, 6, 7)
18	731-1029		Rear Flap	74	710-0726		Hex Wash. AB-Tap Scr. 5/16 x .75" Lg.
19	17189B		Handle Bracket Ass'y.—L.H.	75	16309A		Cable Brkt.
20	17188B		Handle Bracket Ass'y.—R.H.	76	746-0626		Clutch Cable w/Spring—47"
21	736-0105		Bell-Wash. .39" I.D. x 1.38"	79	747-0854		S.P. Bail Ass'y.
22	712-0798		Hex Nut 3/8-16 Thd.*	81	713-0308		10 Tooth Sprocket Ass'y.
23	712-0241		Hex Nut 3/8-24 Thd.	82	715-0247		Spring Pin Spir. 3/16" Dia. x 1" Lg.
29	17046		22" Deck Ass'y.	83	713-0311		#48 Chain 1/2" Pitch 50 Links (Endless)
30	753-0484		Blade Adapter Kit	87	736-0169		L-Wash. 3/8" I.D.*
31	736-0452		Bell-Wash. .39" I.D.	91	731-1034		Chute Deflector Ass'y.
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	92	732-0593		Torsion Spring
33	742-0622		22" Blade	93	17032		Adapter Plate
	742-0722		22" Mulching Blade (Optional)††	94	710-0599		Hex Self-Tap Scr. 1/4-20 x .5" Lg.
39	—		Engine	95	736-0270		Bell-Wash. 1/4" I.D.
46	738-0144		Front Axle Bolt	96	747-0710		Hinge Pin
47	736-0105		Bell-Wash. .400" I.D. x .88"	97	710-1055		Hex Bolt 3/8-24 x 1" Lg.
48	738-0507B		Shld. Bolt .50" Dia. x .357"	98	731-1386A		Mulching Plug (Optional)††
49	14832		Spring Lever Ass'y. w/Knob	99	736-0356		Bell-Wash. .39" I.D. x 1.38" O.D.
50	15262B		Pivot Bar				
51	15261A		Height Adj. Plate				
52	734-1174A		Front Wheel Ass'y. Comp. LH				
53	14578		Height Adj. Ass'y. Comp.— <del>Left</del>				
	14579		Height Adj. Ass'y. Comp.— <del>Right</del> (Not Shown) RH				
54	746-0845		Throttle Control Wire—45"				

\*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

††Part of Optional Mulching Kit—Model 190-100-000.

# Model 265




**PARTS LIST FOR MODEL 265 ROTARY MOWER**

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-1115		Hex Scr. 1/4-20 x .75" Lg. (Gr. 5)	18	738-0732		Drive Shaft Ass'y.
2	731-0908		Wheel Drive Pinion	19	736-0160		Fl-Wash. .531" I.D. x .93" O.D.
5	741-0503		Hex Flange Brg. .504" I.D.	20	710-0168		Hex Bolt 3/8-16 x .5" Lg.
6	17018		Hex Bearing Support	21	736-0169		L-Wash. 3/8" I.D.*
7	741-0504		Flange Bearing .879" I.D.	22	17616		Pivot Bracket—R.H.
8	736-0270		Bell-Wash. .265" I.D. x .75" O.D.	23	17185		Engagement Arm
9	16532B		Link 5.06" Lg.	24	710-0258		Hex Bolt 1/4-20 x .62" Lg.
10	16832		Drive Engagement Cam	25	17725		Front Pinion Pivot Cover
11	712-0267		Hex Nut 5/16-18 Thd.*	27	738-0529		Shld. Nut .625" Dia. x .165"
12	736-0119		L-Wash. 5/16" I.D.*	28	17617		Pivot Bracket—L.H.
13	732-0569A		Torsion Spring—R.H.	29	710-0892		Hex Wash. Hd. AB-Tap Scr.
	732-0570A		Torsion Spring—L.H. (Not Shown)				1/4 x .62" Lg.
14	738-0754		Shoulder Bolt .437" Dia.	30	17017		Hex Bearing Axle Brkt.
15	710-0892		Hex Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.	31	746-0606		Barrel Cable Hold-Down—R.H.
16	736-0329		L-Wash. 1/4" I.D.*	32	710-0919		Hex B-Tap Scr. #10 x .44" Lg.
17	712-0287		Hex Nut 1/4-20 Thd.*	33	731-1136		Chain Tensioner
				34	732-0635		Cantilever Spring
				35	710-0429		Hex B-Tap Scr. #10 x .38" Lg.

\*For faster service obtain standard nuts, bolts and washers locally.  
If these items cannot be obtained locally, order by part number and size as shown on parts list.



# Models 280 and 281




**PARTS LIST FOR MODELS 280 AND 281 ROTARY MOWERS**

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-1115		Hex Scr. 1/4-20 x .75" Lg. (Gr. 5)	20	710-0168		Hex Bolt 3/8-16 x .5" Lg.*
2	731-0908		Wheel Drive Pinion	21	736-0169		L-Wash. 3/8" I.D.
5	741-0503		Hex Flange Brg. .504" I.D.	22	17614		Pivot Bracket—R.H. (B&S)
6	17018		Hex Bearing Support		17616		Pivot Bracket—R.H. (Tec.)
7	741-0504		Flange Bearing .879" I.D.	23	16756		Engagement Arm—L.H.
8	736-0270		Bell-Wash. .265" I.D. x .75" O.D.	24	710-0258		Hex Bolt 1/4-20 x .62" Lg.
9	14760A		Link 4.58" Lg.	25	17726		Rear Pinion Pivot Cover
10	16832		Drive Engagement Cam	28	17613		Pivot Bracket—L.H. (B&S)
11	712-0267		Hex Nut 5/16-18 Thd.*		17617		Pivot Bracket—L.H. (Tec.)
12	736-0119		L-Wash. 5/16" I.D.*	29	710-0892		Hex Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.
13	732-0569A		Torsion Spring—R.H.		30	17017	Hex Bearing Axle Brkt.
	732-0570A		Torsion Spring—L.H. (Not Shown)	31	746-0606		Barrel Cable Hold-Down—R.H.
14	738-0754		Shoulder Bolt .437" Dia.	32	710-0919		Hex B-Tap Scr. #10 x .44" Lg.
15	710-0892		Hex L-Hd. AB-Tap Scr. 1/4" x .62" Lg.	33	738-0529		Shld. Nut .625" Dia. x .165" Lg.
16	736-0329		L-Wash. 1/4" I.D.*	34	710-0351		Truss Mach. B-Tap Scr. #10 x .5" Lg.
17	712-0287		Hex Nut 1/4-20 Thd.*	35	710-0429		Hex B-Tap Scr. #10 x 3/8" Lg.
18	738-0732		Drive Shaft Ass'y.	36	732-0634		Cantilever Spring
19	736-0160		FI-Wash. .531" I.D. x .93" O.D.	37	731-1136		Chain Tensioner

\*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

# Models 280 and 281

Optional Grass Catcher Available  
Model 190-110-000



# Models 280 and 281

## PARTS LIST FOR MODELS 280 AND 281 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle	55	746-0550		Control Cable—39" (B&S)
2	710-0602		Oval C-Sunk Mach. Scr.		746-0737		Control Cable—51" Lg. (Tec.)
3	736-0501		Spr. Wash. .66" I.D.	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16
4	712-0324		Hex L-Nut 1/4-20 Thd.*				x 1.0" Lg.
5	720-0279	N	Handle Knob 1/4-20 Thd.	58	738-0144		Rear Axle Bolt
6	646-0875	N	Throttle Body	60	734-1174A		Wheel Ass'y. Comp.
7	746-0876		Throttle Lever	62	732-0417A		Spring Lever
8	749-0538C		Upper Handle	63	720-0190		Spring Lever Knob
10	710-1205		Rope Guide	65	14760A		Link 4.58" Lg.
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	66	14765		Pivot Bar R.H.
14	726-0240		Cable Tie		14766		Pivot Bar L.H. (Not Shown)
15	749-0928	N	Lower Handle	67	710-0892		Hex AB-Tap 1/4-.62" Lg.
16	714-0104		Hairpin Cotter	69	14764C		Index Plate
17	17098		Hinge Clip	71	16106		Rear Height Adj. Ass'y.—R.H.
18	731-1029		Rear Flap		16107		Rear Height Adj. Ass'y.—L.H.
19	17189B		Handle Bracket Ass'y.—L.H.				(Not Shown)
20	17188B		Handle Bracket Ass'y.—R.H.	72	811-00185		Throttle Box Comp. (Incl. Ref. 2,
22	712-0798		Hex Nut 3/8-16 Thd.*				3, 4, 6, 7)
23	712-0241		Hex Nut 3/8-24 Thd.	74	710-0726		Hex Wash. AB-Tap Scr. 5/16
29	17046		22" Deck Ass'y.				x .75" Lg.
30	753-0484		Blade Adapter Kit	75	16309A		Cable Brkt.
31	736-0452		Bell-Wash. .39" I.D.	76	746-0629		Clutch Cable
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.	79	747-0854		S.P. Bail Ass'y.
33	742-0622		22" Blade	81	713-0308		10 Tooth Sprocket Ass'y.
	742-0722		22" Mulching Blade (Optional)††	82	715-0247		Spring Pin Spir. 3/16" Dia. x
38	751B213146	N	Cable Clamp (B&S)				1" Lg.
39	—		Engine	83	713-0311		#48 Chain 1/2" Pitch 50 Links
41	710-1237		Hex Wash. Hd. Scr. #10-32 x				(Endless)
			.62" Lg. (B&S)	84	736-0356		Bell-Wash. .39" I.D. x 1.38"
42	720-0276		Hand Knob	87	736-0169		L-Wash. 3/8" I.D.*
44	735-0639		Spark Plug Boot (Optional)	91	731-1034		Chute Deflector Ass'y.
46	738-0102		Front Axle Bolt	92	732-0593		Torsion Spring
47	736-0105		Bell-Wash. .400" I.D. x .88"	93	17032		Adapter Plate
48	738-0507B		Shld. Bolt .50" Dia. x .357"	94	710-0599		Hex Self-Tap Scr. 1/4-20 x .5"
49	14832		Spring Lever Ass'y. w/Knob				Lg.
50	15262B		Pivot Bar	95	736-0270		Bell-Wash. 1/4" I.D.
51	15261A		Height Adj. Plate	96	747-0710		Hinge Pin
53	14578		Height Adj. Ass'y. Comp.—R.H.	97	710-1055		Hex Bolt 3/8-24 x 1" Lg.
	14579		Height Adj. Ass'y. Comp.—L.H.	98	731-1386A		Mulching Plug (Optional)††
			(Not Shown)				
54	746-0842		Throttle Control Wire—51" Lg.				
			(B&S)				
	746-0845		Throttle Control Wire—45" Lg.				
			(Tec.)				

††Part of Optional Mulching Kit—Model 190-100-000.